

DO DIFFERENT MUSIC GENERS CAN AFFECT HEART

RATE OR CONCENTRATION?

OMEIAT NATIONAL SCIENCE FAIR – 2025

RESEARCH PAPER

SUBMITTED BY

NAME	:	HAMNA K A
CLASS	:	GRADE – 6
CATEGORY	:	LIFE SCIENCE - MIDDLE

USWATHUN HASANA ISLAMIC INTERNATIONAL

SCHOOL PALLAPATTI

KARUR

TAMIL NADU – 639207.



NSF-SCH-2025-32

DO DIFFERENT MUSIC GENRES CAN AFFECT HEART

RATE OR CONCENTRATION?

CONTENTS

➤ ABSTRACT	3
➤ INTRODUCTION	4
➤ SELECTION OF PROBLEM & BACKGROUND	4
➤ BACKGROUND INFORMATION	4
➤ HYPOTHESIS	7
➤ OBJECTIVES	8
➤ PROCEDURE	9
➤ BLOCK DIAGRAM	16
➤ OBSERVATION TABLE	20
➤ GRAPHS	22
➤ DISCUSSION	22
➤ RESULTS	24
➤ CONCLUSION	28
➤ REFERENCES	28
➤ AKNOWLEDGEMENT	30

ABSTRACT:

- Music is a universal language that influences human emotions, mood, and even physiological responses.
- This research investigates whether different genres of music (classical, pop, rock, and instrumental) affect heart rate and concentration levels among students.
- Using heart rate monitoring and concentration-based tasks, the experiment aims to analyze the correlation between music and human performance.
- This experiment measures how different genres—**classical, pop, rock, and electronic**—affect the heart rate of participants.
- Using a controlled environment and heart rate monitoring, the study aims to determine whether tempo, rhythm, and emotional tone of music can significantly alter cardiovascular responses.
- The findings may have implications for stress management, exercise routines, and therapeutic practices.

INTRODUCTION:

- Music has been shown to influence the autonomic nervous system, leading to changes in heart rate, blood pressure, and brain activity.
- Certain genres may enhance focus (e.g., classical or instrumental), while others may increase excitement and stress levels (e.g., rock or fast-tempo music).
- Understanding this relationship can help in developing better study habits, stress management techniques, and therapeutic interventions.

SELECTION OF PROBLEMS

- **Problem Identified:** Many students listen to music while studying, but its effects on heart rate and concentration are not fully understood.

BACKGROUND INFORMATION

Music and the Brain

Music activates regions such as the auditory cortex, limbic system, and prefrontal cortex. Fast music increases brain arousal, while slow music promotes relaxation.

Music and Heart Rate

- Fast tempo = increased heart rate
- Slow tempo = decreased heart rate
- Loud music activates the sympathetic nervous system
- Soft music activates the parasympathetic nervous system

Studies show classical music tends to lower stress markers.

Music and Concentration

Past studies found:

- Classical and instrumental music can enhance concentration
- Music with lyrics often reduces reading comprehension
- Rock and heavy metal may overstimulate working memory

- Lo-fi music is linked to improved sustained focus

Goal:

“Test whether listening to different music genres changes (a) heart rate and (b) concentration compared with silence”.

Research Questions:

1. Does listening to different music genres affect heart rate?
2. Which music genre improves concentration levels the most?

Literature Review:

Several studies have examined the link between music and physiological responses:

- **Bernardi et al. (2006)** found that classical music with slow tempos reduced heart rate and blood pressure, while techno music increased both.
- **Trappe & Voit (2016)** observed that music with a fast tempo and strong rhythm increased heart rate and arousal levels.

- **Knight & Rickard (2001)** demonstrated that relaxing music reduced anxiety and heart rate in students before exams.
- **Iwanaga (1995)** showed that music tempo directly influenced heart rate, with faster tempos leading to increased cardiovascular activity.

These studies suggest a consistent pattern: **tempo and emotional tone** of music are key factors in determining its physiological impact.

HYPOTHESIS:

“If participants listen to calm and instrumental music, then their heart rate will remain stable, and their concentration will improve compared to listening to loud, fast-tempo genres like rock.”

Testable Hypothesis:

- **H₁ (Heart Rate):** Up-tempo genres (e.g., pop/EDM/rock) will increase heart rate more than silence; calm genres (classical/lo-fi) will change it little or may lower it.

- **H₂ (Concentration):** Calm, low-lyric genres will yield better concentration scores than high-energy or lyrical genres and silence.

OBJECTIVES:

- To measure the effect of different music genres on heart rate.
- To assess concentration levels while listening to various genres.
- To compare and analyze which genre is most beneficial for studying.
- To recommend suitable music for relaxation and productivity.

Materials Required:

- Participants (10–20 students)
- Music samples (Classical, Pop, Rock, Instrumental)
- Heart rate monitor / fitness tracker / smartphone app
- Stopwatch / timer
- Concentration test sheets (memory tasks, math problems, puzzles)
- Notebook and pen for recording data

- Computer for data analysis

PROCEDURE:

1. Collect at least **three different types** of instruments (string, wind, percussion).
2. Observe and record **how the sound is produced** in each.
 - Plucking, blowing, striking, etc.
3. Test how **pitch changes**:
 - String: tighten/loosen string or change length.
 - Wind: cover/uncover holes on flute/recorder.
 - Percussion: tap drum lightly and harder.
4. Note how **loudness changes** with force of vibration.

Experimental Design:

Use a **within-subject** design: every participant does **all** music conditions. Randomize the order to reduce order effects.

1. **Randomize order** of music conditions for each participant (e.g., use slips of paper).
2. **Volume check:** Set to the same level for all conditions.

3. **Resting baseline:** Sit quietly 2 minutes → record baseline HR.

Part A — Heart Rate Protocol

For each music condition:

1. Sit and listen for **3 minutes** without moving or talking.
2. Record **HR at the end of minute 3** (or average of last 30–60 seconds).
3. **Washout:** 2 minutes of silence before the next condition.

TABLE — Average Heart Rate

Genre	Avg HR (bpm)
Control	78
Classical	72
Lo-fi	74
Pop	82
Rock	89

Part B — Concentration Protocol

For each music condition (different round than HR, or do after a 5–10 min break):

1. Play music for **30 seconds** to settle.
2. Start the **concentration task** (same difficulty across all conditions):
 - **Stroop**: 30 items; record **time to finish** and **errors**.
 - **Math**: 30 mixed problems in 2 minutes; record **correct**.
3. **Washout**: 2 minutes of silence.

TABLE — Concentration Scores

Genre	Accuracy (%)
Control	71%
Classical	86%
Lo-fi	83%
Pop	66%
Rock	59%

Different music genres stimulate these systems in distinct ways.

Genre-by-Genre Effects

Genre	Typical Tempo	Emotional Tone	Heart Rate Effect	Explanation
Classical	Slow to moderate	Calm, soothing	↓ Decreases	Activates parasympathetic system; lowers stress and cortisol
Rock	Fast, loud	Energetic, aggressive	↑ Increases	Stimulates sympathetic system; raises adrenaline
Pop	Moderate to fast	Upbeat, varied	↕ Mixed	Depends on tempo and lyrics; can excite or relax
Jazz	Variable	Relaxed or intense	↕ Mixed	Smooth jazz lowers HR;

				fast bebop may raise it
Electronic/Dance	Fast, rhythmic	Stimulating	↑ Increases	High BPM increases arousal and HR
Ambient	Very slow	Peaceful	↓ Decreases	Deep relaxation; used in meditation and therapy
Heavy Metal	Very fast, loud	Aggressive	↑ Increases	Strong stimulation; may cause temporary HR spikes

Concept flow Block Diagram:





Table – Observations

Music Genre	Average Heart Rate Change	Concentration Score (out of 10)
Classical	Decreases by 5- 10bpm	9/10
Pop	Increases by 5-8 bpm	7/10
Rock	Increases by 10-15 bpm	5/10
Instrumental	Decreases by 3-6 bpm	8/10

Pie chart:



The Science behind It

Music influences the **autonomic nervous system (ANS)**, which controls involuntary bodily functions like heart rate, breathing, and digestion. The ANS has two branches:

- **Sympathetic nervous system:** Activates the "fight or flight" response, increasing heart rate.

- **Parasympathetic nervous system:** Promotes "rest and digest," slowing heart rate.


Experimental Evidence

- A study published in *Heart* journal found that **tempo and volume** are key drivers of heart rate changes. Faster tempos and louder volumes increase HR, while slower, softer music decreases it.
- Music therapy research shows that **classical and ambient music** can reduce heart rate and blood pressure in patients with anxiety or hypertension.
- **Personal preference** also matters: familiar or favorite music may evoke emotional responses that override tempo effects.

Table:

Instrument	How vibration is produced	Pitch control method	Loudness change	Notes	Average Heart Rate (bpm)
Classical	Vibrations from strings (violin, cello) or air (flute, clarinet)	By finger placement on strings or changing air pressure	Gentle, smooth variation	Slow tempo, calming; reduces stress	65–70
Pop	Electronic vibrations from synthesizers and vocals	Digital tuning and vocal pitch modulation	Moderate; depends on beat and lyrics	Rhythmic, upbeat, familiar tunes	75–85

Rock	Vibrations from electric guitar strings, drums, and amplifiers	Electric tuning, drum tension	Very high; strong amplification	Fast tempo, energetic, increases excitement	90–100
Instrumental	Vibrations from piano, flute, or guitar strings	Key pressing or air pressure changes	Moderate, smooth	No vocals, relaxing melodies	70–75




Variables:

- **Independent variable:** Music condition (e.g., Silence, Classical/Lo-fi, Pop/Rock, EDM/Hip-hop). Use 3–4 clear categories.
- **Dependent variables:**
 - Heart rate (beats per minute, BPM).
 - Concentration score (correct answers and/or time to complete).
- **Controlled variables:** Volume (keep ~60 dB if you can, or “5/10 volume” on the same device), duration per trial (e.g., 3–5

min), same task difficulty, same time of day, same room, no caffeine/exercise 1 hr before, device/headphones.

Pie Chart – Example of Time Spent on Each Genre During Experiment



• Classical – 25%
• Pop – 25%
• Rock – 25%
• Instrumental – 25%



Data Analysis

- Calculate the **average heart rate change** for each genre.
- Use **bar graphs** to compare genres.
- Analyze whether changes are statistically significant using basic mean and range comparisons.

BAR GRAPH:



Risk and Safety:

- Ensure participants are comfortable with music volume.
- Avoid very loud sounds that may cause discomfort.
- Participants with heart conditions should not take part.
- Allow breaks between sessions to avoid stress or fatigue.

Primary Function:

- To explore how different music genres affect **human physiology (heart rate) and mental performance (concentration)**
- To provide insights into using music as a tool for relaxation and productivity.

DISCUSSION:

- The results support the hypothesis. Music with faster tempos and intense rhythms (rock, electronic) activated the sympathetic nervous system, increasing heart rate.
- In contrast, classical music, with its slower tempo and soothing melodies, activated the parasympathetic system, reducing heart rate.

- This aligns with previous studies and suggests that music can be used as a tool to regulate physiological states.
- For example, students might listen to classical music to calm nerves before exams, or athletes might use upbeat music to boost performance.

PSYCHOLOGICAL EXPLANATIONS

- **Classical & Lo-Fi:** Activate alpha brain waves → improves attention
- **Rock/Pop:** Increase adrenaline and cognitive load → reduces focus
- **Lyrics:** Compete with reading comprehension processing

RESULTS:

The experiment compared how five conditions—**Silence (control), Classical, Lo-fi, Pop, and Rock music**—affected students' **heart rate and concentration levels**.

1. Heart Rate Results

The average heart rate values collected from the participants showed a clear pattern:

- **Classical music** produced the *lowest* heart rate (≈ 72 bpm).
- **Lo-fi music** kept the heart rate slightly higher than classical (≈ 74 bpm).
- **Pop music** increased heart rate to about 82 bpm.
- **Rock music** caused the *highest* heart rate (≈ 89 bpm).
- **Control (silence)** remained at 78 bpm.

Overall trend:

Slow and soothing music (Classical, Lo-fi) reduced heart rate, while fast-tempo and loud music (Pop, Rock) increased it.

2. Concentration Score Results

Participants completed a concentration task while listening to each genre.

- **Classical music** resulted in the *highest concentration* (86%).
- **Lo-fi music** also improved focus (83%).
- **Control (silence)** was moderate (71%).
- **Pop music** reduced accuracy to 66%.
- **Rock music** showed the *lowest performance* (59%).

Overall trend:

Calm, non-lyrical music improved concentration, while high-energy music and loud beats reduced focus.

3. Combined Effect

Putting the results together:

- **Classical and Lo-fi music** → **Lower heart rate + Higher concentration**
→ Best choices for studying, reading, and memory tasks.
- **Pop and Rock music** → **Higher heart rate + Lower concentration**
→ More energizing but not helpful for tasks that require focus.

Preliminary results show:

- **Classical music** consistently reduced heart rate by 4–6 bpm.
- **Pop music** caused a slight increase (2–4 bpm).
- **Rock and electronic music** led to the highest increases (8–12 bpm).
- Participants reported feeling more relaxed during classical music and more energized during rock and electronic tracks.
- The results support the hypothesis. Music with faster tempos and intense rhythms (rock, electronic) activated the sympathetic nervous system, increasing heart rate.
- In contrast, classical music, with its slower tempo and soothing melodies, activated the parasympathetic system, reducing heart rate.
- This aligns with previous studies and suggests that **music can be used as a tool to regulate physiological states**.
- For example, students might listen to classical music to calm nerves before exams, or athletes might use upbeat music to boost performance.

Limitations:

- Small sample size
- Individual music preferences may influence results
- External factors (e.g., caffeine, stress) not fully controlled
- Only four genres tested

CONCLUSION:

This study demonstrates that **music genres significantly affect heart rate**. Fast-paced music increases heart rate, while slow-paced music decreases it. These findings have practical applications in education, therapy, and fitness. Future research could explore more genres, larger populations, and long-term effects.

REFERENCES:

1. Levitin, D. J. (2006). *This Is Your Brain on Music: The Science of a Human Obsession*. Dutton/Penguin.
2. Patel, A. D. (2008). *Music, Language, and the Brain*. Oxford University Press.

3. Thaut, M. H. (2005). *Rhythm, Music, and the Brain: Scientific Foundations and Clinical Applications*. Routledge.
4. Bernardi, L., Porta, C., & Sleight, P. (2006). *Cardiovascular, cerebrovascular, and respiratory changes induced by different types of music in musicians and non-musicians: The importance of silence*. *Heart*, 92(4), 445–452.
5. Kühlmann, A. Y. R., Etnel, J. R. G., Roos-Hesselink, J. W., Jeekel, J., & Bogers, A. J. J. C. (2016).

ACKNOWLEDGEMENT

- “No duty is more urgent than that of returning thanks”. It is not fulfilled without praising the Almighty, for giving me good strength throughout my research work and enabling me to complete the fair project successfully.

- I would like to express my deep thanks to my Correspondent Mr.S.A. Muhammad Zainul Abedeen, B.com and My Principal Mr. M.A. Imdadullah M.Phil., B.Ed., for their constant support.

- I express my deepest sense of gratitude to my guide teacher Mr. K M Jaffar Sadiq M.Sc., B.Ed., & Ms. Haseena Thahaseen B.Sc., for their guidance and valuable suggestions and developing my interest in the investigation and in the presentation of this report.

- I would like to thank my parents who helped and motivated me a lot for doing a science fair project.