

# ***ANTIMICROBIAL POTENCY OF COMMON SPICES***

***Science fair project report***

***Level: primary level***

***Category: life science***

***Submitted by:***

***MAXWELL WESLY N (Class 4)***

***(Fathima central senior secondary school)***



**FATHIMA**

Central Senior Secondary School

(Affiliated by Central Board Of Secondary Education.)

## ***Application for Virtual NSF-2024***

- 1. Name of the Student*** : ***MAXWELL WESLY N***
- 2. Class in which studying*** : ***IV A***
- 3. Address of School*** : ***FATHIMA CSS SCHOOL  
NO.4, POLICE LANE, SAIDAPET,  
CHENNAI.***
- 4. Is School is a member of OMEIAT*** : ***YES***
- 5. Title of the Project*** : ***ANTIMICROBIAL  
POTENCY OF COMMON  
SPICES***
- 6. Category of Project*** : ***PRIMARY LEVEL-LIFE SCIENCE***
- 7. Contact No. of Student*** : ***9789870126***
- 8. Student's Email ID*** : ***[negamiabuji@gmail.com](mailto:negamiabuji@gmail.com)***
- 9. Name of the Teacher who guide the student:***  
***N. SUHARLATHA***
- 10. Contact no. of Teacher who guides*** : ***9384630126***
- 11. Teacher's mail Id*** : ***nsuharlatha2@gmail.com***

## **TABLE OF CONTENTS**

<i>Introduction.....</i>	<i>4</i>
<i>Abstract.....</i>	<i>5</i>
<i>Selection of the problem: - (Back ground information).....</i>	<i>6</i>
<i>Statement of the problem.....</i>	<i>7</i>
<i>Hypothesis:.....</i>	<i>7</i>
<i>Experimental procedure:.....</i>	<i>7</i>
<i>Design of the study:.....</i>	<i>7</i>
<i>Independent variables:.....</i>	<i>7</i>
<i>Dependent variables:.....</i>	<i>7</i>
<i>Control variables:.....</i>	<i>7</i>
<i>Material to be used.....</i>	<i>8</i>
<i>Procedure:.....</i>	<i>8</i>
<i>Preparation of spices extract.....</i>	<i>8</i>
<i>Microbial culture:.....</i>	<i>8</i>
<i>Minimum inhibitory concentration method.....</i>	<i>8</i>
<i>Observation Table:.....</i>	<i>8</i>
<i>Graphical Representation:.....</i>	<i>9</i>
<i>Data Collection image.....</i>	<i>9</i>
<i>Result and Discussion.....</i>	<i>12</i>
<i>Conclusion.....</i>	<i>12</i>
<i>Future Enhancement.....</i>	<i>13</i>
<i>Application.....</i>	<i>13</i>
<i>Reference.....</i>	<i>14</i>

# ***ANTIMICROBIAL POTENCY OF COMMON SPICES***

## ***Introduction:***

- *The antimicrobial properties of spices have been utilized for centuries in various cultures to promote health and prevent disease.*
- *This project investigates the antimicrobial effects of ginger, turmeric, garlic, and pepper on bacterial growth..*
- *The use of spices and herbs for their medicinal properties dates back centuries, with many cultures relying on these natural remedies to prevent and treat various ailments.*
- *In recent years, the rise of antimicrobial resistance has sparked renewed interest in exploring the antimicrobial properties of natural substances.*
- *This project focuses on investigating the antimicrobial effects of four commonly used spices: ginger, turmeric, garlic, and pepper.*
- *Ginger, pepper, Garlic and turmeric are widely used spices in various cuisines, known for their medicinal properties.*
- *Recent studies have highlighted their potential antimicrobial activity, making them valuable in the fight against infectious diseases.*
- *This project aims to compare the antimicrobial properties of ginger, pepper, Garlic and turmeric extracts against selected microorganisms, providing insights into their potential applications in medicine and food preservation.*
- *By exploring the antimicrobial effects of these spices, this research contributes to the understanding of natural antimicrobial agents and their possible uses.*

**AIM:**

- *To compare the antimicrobial properties of ginger, pepper, Gralic and turmeric extracts against selected microorganisms.*
- *This aim guides the investigation, focusing on evaluating and comparing the antimicrobial effectiveness of these three spices.*

**Abstract:**

- *This project investigates the antimicrobial properties of ginger, turmeric, garlic, and pepper against specific bacteria. Spice extracts were prepared and applied to agar plates inoculated with bacterial cultures.*
- *The zones of inhibition were measured, indicating the antimicrobial activity of each spice.*
- *The results show that these spices exhibit varying degrees of antimicrobial properties, with potential implications for health and disease prevention.*
- *This study contributes to the understanding of the antimicrobial effects of natural spices and their potential applications.*
- *This project aims to explore the antimicrobial effects of these spices and contribute to the understanding of their potential health benefits*

## ***Selection of the problem: - (Back ground information)***

### **▪ *Antimicrobial Properties***

**1. *Ginger:*** *Ginger has been shown to exhibit antimicrobial activity against various bacteria, including E. coli and Staphylococcus aureus.*

**2. *Turmeric:*** *Curcumin, a compound in turmeric, has potent antimicrobial properties against bacteria, viruses, and fungi.*

**3. *Garlic:*** *Garlic contains allicin, a compound with broad-spectrum antimicrobial activity against bacteria, viruses, and fungi.*

**4. *Pepper:*** *Piperine, a compound in pepper, has been shown to exhibit antimicrobial activity against certain bacteria.*

### ***Potential Applications***

**1. *Food preservation:*** *Natural antimicrobial agents like spices can be used to preserve food and prevent spoilage.*

**2. *Medicine:*** *The antimicrobial properties of spices may contribute to the development of new medicines or treatments.*

**3. *Infection control:*** *Spices with antimicrobial properties may be used to reduce the risk of infection in healthcare settings.*

### ***Research Significance***

- *This project aims to contribute to the understanding of the antimicrobial properties of ginger, turmeric, garlic, and pepper, and their potential applications in promoting health*

*and preventing disease.*

***Statement of the problem:***

*What is the comparative antimicrobial activity of ginger, pepper, garlic and turmeric extracts against selected microorganisms?*

***Hypothesis:***

*Ginger extract exhibits stronger antimicrobial activity compared to pepper, garlic and turmeric extracts.*

***Variables:***

***Independent Variables:***

- 1. Type of Spice Extract: Ginger, pepper, garlic and turmeric extracts*
- 2. Concentration of Extract: Different concentrations of each extract*

***Dependent Variables:***

- 1. Antimicrobial Activity: Measured by zone of inhibition or microbial growth inhibition.*
- 2. Microbial Growth: Growth of microorganisms in the presence of spice extracts.*

***Controlled Variables:***

- 1. Microorganism Type: Same microorganism used for all experiments*
- 2. Extract Preparation Method: Consistent method for preparing extracts*
- 3. Incubation Conditions: Same temperature, time, and humidity for all experiments*

***Materials:***

- *Ginger, pepper, garlic and turmeric powders or fresh samples*
- *Microorganisms (e.g., E. coli, S. aureus)*

- *Agar plates*
- *Distilled water*
- *Ethanol or other solvents*
- *Filter paper discs*
- *Incubator*

### ***Step-by-Step Procedure:***

#### ***Step 1: Extract Preparation***

1. *Weigh and grind ginger, pepper, garlic and turmeric samples.*
2. *Mix with solvent (e.g., ethanol or water) to create extracts.*
3. *Filter extracts using cheesecloth or filter paper.*

#### ***Step 2: Antimicrobial Activity Testing***

1. *Prepare agar plates with microorganisms.*
2. *Place filter paper discs soaked in extracts on agar plates.*
3. *Incubate plates at 37°C for 24-48 hours.*
4. *Measure zone of inhibition around each disc.*


#### ***Step 3: Data Analysis***

1. *Record and compare zone of inhibition diameters.*
2. *Calculate mean and standard deviation of zone diameters.*
3. *Determine the most effective extract against each microorganism.*

#### ***Observation Table:***

<b><i>Spice Extract</i></b>	<b><i>Concentration of Extract(%)</i></b>	<b><i>Zon of Inhibition(mm)</i></b>	<b><i>E-Coli</i></b>	<b><i>S. aureus</i></b>
<i>Ginger</i>	<i>5%</i>	<i>10mm</i>	<i>12</i>	<i>16</i>
<i>Pepper</i>	<i>5%</i>	<i>8mm</i>	<i>08</i>	<i>10</i>
<i>Turmeric</i>	<i>5%</i>	<i>12mm</i>	<i>11</i>	<i>14</i>
<i>Garlic</i>	<i>5%</i>	<i>15mm</i>	<i>16</i>	<i>20</i>

## Graphical Representation:



- *Here's the graph showing the antibacterial activity of different spice extracts (5% concentration) against E. coli and S. aureus.*
- *It visualizes the zone of inhibition (mm) for each spice — Garlic shows the strongest antibacterial effect, followed by Ginger, Turmeric, and Pepper.*

## Data Collection Images:







## ***Result and Discussion:***

- *The results of the experiment show that all four spices (ginger, turmeric, garlic, and pepper) exhibited antimicrobial activity against the test bacteria. The zones of inhibition were measured and recorded as follows:*
- *Garlic showed the largest zone of inhibition (15 mm), indicating the strongest antimicrobial activity.*
- *Turmeric showed a moderate zone of inhibition (12 mm).*
- *Ginger showed a zone of inhibition of 10 mm.*
- *Pepper showed the smallest zone of inhibition (8 mm).*
- *The results of this experiment support the hypothesis that ginger, turmeric, garlic, and pepper have antimicrobial properties. The antimicrobial activity of these spices can be attributed to the presence of bioactive compounds such as allicin in garlic, curcumin in turmeric, and gingerol in ginger.*

## ***Conclusion***

- *This project demonstrates the antimicrobial properties of ginger, turmeric, garlic, and pepper against specific bacteria.*
- *The results show that these spices exhibit varying degrees of antimicrobial activity, with garlic showing the most significant effect.*
- *These findings support the traditional use of these spices for their medicinal properties and suggest potential applications in food preservation, medicine, and infection control.*

### ***Future Enhancement:***

- *Broader range of microorganisms: Test the antimicrobial activity of spices against a wider range of microorganisms, including fungi and viruses.*
- *Different extraction methods: Compare the antimicrobial activity of spice extracts obtained using different extraction methods, such as solvent extraction, steam distillation, or supercritical fluid extraction.*
- *Purification and characterization: Purify and characterize the bioactive compounds responsible for the antimicrobial activity of spices.*

### ***Application:***

- *Natural preservatives: Spice extracts or essential oils can be used as natural preservatives to extend shelf life and prevent spoilage.*
- *Food safety: Reduce the risk of foodborne illnesses by inhibiting the growth of pathogens.*
- *Antimicrobial agents: Develop new antimicrobial agents or adjunctive therapies using spice-derived compounds.*
- *Wound care: Use spice extracts or compounds to promote wound healing and prevent infection.*
- *Hospital-acquired infections: Use spice-derived antimicrobial agents to reduce the risk of hospital-acquired infections.*
- *Surface disinfection: Develop natural disinfectants using spice extracts or essential oils.*

## ***Reference:***

- ❖ <https://share.google/7Ubl5ooXiSav1x2dR>
- ❖ <https://share.google/QiutLN8DC2nKLFvpE>
- ❖ <https://share.google/WgJvFvwaLkIPQYJUa>
- ❖ <https://share.google/NCInp3EEPxIFXG95K>